


Bolt Size	A	B
M16x130	130 $\begin{pmatrix} +5 \\ -0 \end{pmatrix}$	35 $\begin{pmatrix} +6 \\ -0 \end{pmatrix}$
M16x150	150 $\begin{pmatrix} +5 \\ -0 \end{pmatrix}$	50 $\begin{pmatrix} +6 \\ -0 \end{pmatrix}$
M16x170	170 $\begin{pmatrix} +3 \\ -2 \end{pmatrix}$	50 $\begin{pmatrix} +6 \\ -0 \end{pmatrix}$
M16x200	200 $\begin{pmatrix} +3 \\ -2.3 \end{pmatrix}$	50 $\begin{pmatrix} +6 \\ -0 \end{pmatrix}$
M16x250	250 $\begin{pmatrix} +5 \\ -2.3 \end{pmatrix}$	75 $\begin{pmatrix} +8 \\ -0 \end{pmatrix}$
M16x300	300 $\begin{pmatrix} +5 \\ -2.6 \end{pmatrix}$	75 $\begin{pmatrix} +8 \\ -0 \end{pmatrix}$
M16x350	350 $\begin{pmatrix} +5 \\ -2.85 \end{pmatrix}$	75 $\begin{pmatrix} +8 \\ -0 \end{pmatrix}$
M16x400	400 $\begin{pmatrix} +5 \\ -2.85 \end{pmatrix}$	100 $\begin{pmatrix} +8 \\ -0 \end{pmatrix}$
M16x450	450 $\begin{pmatrix} +7 \\ -3.15 \end{pmatrix}$	100 $\begin{pmatrix} +8 \\ -0 \end{pmatrix}$
M16x500	500 $\begin{pmatrix} +7 \\ -3.15 \end{pmatrix}$	150 $\begin{pmatrix} +8 \\ -0 \end{pmatrix}$

Notes

1. All dimensions are in mm.
2. Material: mild steel.
3. Finishing: hot dip galvanized according to PEA standard.

 IAMPONG DEVELOPMENT CO.,LTD			
TITLE: MACHINE BOLT SIZE M16			
SIZE	FSCM No.	DWG. No. DWG_MBS01605-01620	REV. DATE
A			5 MAR 2015
SCALE 1:1		TORLANCE ± 5%	SHEET 1 OF 1